*Na podlagi 9.člena Uredbe o določitvi usklajenih pogojih za trženje gradbenih proizvodov 89/106/EGS, Zakona o gradbenih proizvodih (Ur.l. RS, št. 82/2013) in veljavnimi harmoniziranimi tehničnimi standardi SIST EN 13162 do SIST EN 13172 spodaj podpisani v imenu podjetja /*

*On the basis of Article 9 of the Regulation on determining harmonized conditions for the marketing of construction products 89/106 / EEC, the Construction Products Act Ur.l.RS, No. 82/2013) and the applicable harmonized technical standards SIST EN 13162 to SIST EN 13172 below signed on behalf of the company*

**FONATERM d.o.o.**
**Ulica Pariške komune 22**
**2000 Maribor**

izdaja / issuing

# IZJAVA O LASTNOSTIH – DECLARATION OF PERFORMANCE

Št./No. V77-2022

Oznaka tipa gradbenega proizvoda / *Type of Construction Material*:

**FONATERM**

Predviden namen uporabe / *Use of the product*:

toplotna izolacija v razsutem stanju za uporabo v gradbeništvu z izpolnitvijo votlin v gradbenih konstrukcijah / *loose-fill thermal insulation for use in buildings as cavity wall insulation*

Deklarirane lastnosti gradbenega proizvoda / *Declaration of performance of construction material:*

| **Bistvene značilnosti / *essential characteristics*** | **Lastnosti / *properties*** | **Ocenjevalni / preskusni standard *Assessment standard*** |
|---|---|---|
| Odziv na ogenj / *fire response* | Razred E / *Class E* | Razred po SIST EN 13501-1 / *Class after SIST EN 13501-1* |
| Toplotna prevodnost / *thermal conductivity* | $A_D$ = 0.044 W/mK | Izmerjeno po SIST EN 12667 / *measured after SIST EN 12667* |
| Posedanje / *sitting* | s < 0.05% | Izmerjeno po SIST EN 15101-1, B.2 / *measured after SIST EN 15101-1, B.2* |

**Ime organa, ki je bil vključen v ocenjevanja in preverjanje lastnosti proizvoda / *Name of the body involved in the assessment and verification of the product characteristics:***

ZAG – Zavod za gradbeništvo Slovenije / *Slovenian National Building and Civil Engineering Institute (S-01466/16*

**Veljavna tehnična specifikacija / *Valid technical specification*:**
Slovenska Tehnična Ocena št. STS-06/006 veljavna od 28. 11. 2018 do 27. 11. 2023 / *Slovenian Technical Approval No. STS-06/006 valid from 28.11.2018 to 27.11.2023*

**Lastnosti proizvoda, navedenega zgoraj, so v skladu z navedenimi lastnostmi. / *The characteristics of the product mentioned above are in the accordance with the stated properties.***

Ime, položaj in podpis osebe, pooblaščene za podpis izjave /
*Name and surname and position of authorized personnel for signing the declaration*
Vesna Mujaković, Direktor / CEO

Kraj in datum / Place and date
Maribor, 22.02.2022

CE